

Lang Liu<sup>1</sup>, Krishna Pillutla<sup>2</sup>, Sean Welleck<sup>2,3</sup>, Sewoong Oh<sup>2</sup>, Yejin Choi<sup>2,3</sup>, Zaid Harchaoui<sup>1</sup><sup>1</sup> Department of Statistics, University of Washington<sup>2</sup> Paul G. Allen School of Computer Science & Engineering, University of Washington<sup>3</sup> Allen Institute for Artificial Intelligence

## Overview

- The spectacular success of deep generative models calls for **quantitative tools** to measure their performance.
- Divergence frontiers** have recently been proposed as an evaluation framework for generative models. In practice, they are estimated from data via **quantization** and **empirical estimation**.
- We establish **non-asymptotic bounds** for the estimation procedure, characterizing the sample complexity of divergence frontiers.

## Image and Text Generation

High quality but low variety




...the techniques we used when cleaning out my mom's fabric stash last week...  
Next, you need to get a **small, sharp knife**. I like to use a **small, sharp knife**. I like to use a **small, sharp knife**.

Low quality but high variety



...the techniques we used when cleaning out my mom's fabric stash last week...  
I had a great deal of **décor management** and was able to **stash the excess items** away for safekeeping.

## Type I and Type II Costs



## Divergence Frontiers

**Divergence frontiers** (Djolonga et al. '20). Define the mixture  $R_\lambda = \lambda P + (1 - \lambda)Q$ . Let

$$\mathcal{F}(P, Q) := \{(\text{KL}(Q||R_\lambda), \text{KL}(P||R_\lambda)) : \lambda \in (0, 1)\}.$$

**Statistical summary.**


- The linearized cost ( $\lambda$ -skew Jensen-Shannon divergence)

$$\mathcal{L}_\lambda(P, Q) := \lambda \text{KL}(P||R_\lambda) + (1 - \lambda) \text{KL}(Q||R_\lambda).$$

- Frontier integral**—statistical summary

$$\text{FI}(P, Q) := 2 \int_0^1 \mathcal{L}_\lambda(P, Q) d\lambda.$$

- Symmetric divergence, i.e.,  $\text{FI}(P, Q) = 0$  iff  $P = Q$ .
- Taking values in  $[0, 1]$ .



## Main Results

**Statistical error.** Assume  $P$  and  $Q$  are discrete with support size  $k$ . With probability at least  $1 - \delta$ ,



$$\left| \text{FI}(\hat{P}_n, \hat{Q}_n) - \text{FI}(P, Q) \right| \lesssim \sqrt{\frac{\log 1/\delta}{n}} + \sqrt{\frac{k}{n}} + \frac{k}{n}.$$

**Total error.** For **arbitrary**  $P$  and  $Q$  and any  $k$ , there exists a partition  $\mathcal{S}_k$  of size  $k$  such that


$$\mathbb{E} \left| \text{FI}(\hat{P}_{\mathcal{S}_k, n}, \hat{Q}_{\mathcal{S}_k, n}) - \text{FI}(P, Q) \right| \lesssim \sqrt{\frac{k}{n}} + \frac{k}{n} + \frac{1}{k}.$$

**Smoothed estimators.** Let  $\hat{P}_{\mathcal{S}_k, n, b}$  be the **add- $b$  estimator** of  $P_{\mathcal{S}_k}$ .

$$\mathbb{E} \left| \text{FI}(\hat{P}_{\mathcal{S}_k, n, b}, \hat{Q}_{\mathcal{S}_k, n, b}) - \text{FI}(P, Q) \right| \lesssim \frac{\sqrt{nk} + bk}{n + bk} + \frac{1}{k}.$$



## Estimation Procedure



Code available at <https://github.com/langliu95/divergence-frontier-bounds>.

Presented at NeurIPS 2021. Copyright 2021 by the authors.